



COMMERCIAL INDUCTION Kitchen Equipment Series



APOLLO[®]

www.apolloequipments.com



It is our pleasure to introduce "Apollo Kitchen Equipments & Services Pvt. Ltd." as a leading Commercial Kitchen Equipment Manufacturer for various food service establishments like Hotel, Restaurants, Café, Industrial/Institutional Canteens, Hospitals, Temples & Flight Kitchens. Our journey started in 1986, and in this journey of over 36 years, under the able leadership and guidance of Mr. Ravindranath (Managing Director) company has achieved many milestones.

APOLLO today is sitting in an enviable position with ever-expanding manufacturing facilities, sales & service network, technological tie-up with key foreign partners coupled with a market reputation. We have developed a few Standard Commercial Kitchen Equipment matching International Standards devoting our years of constant Innovation and continuous R&D.



LEGACY OF MORE THAN 36 YEARS



STATE-OF-ART INFRASTRUCTURE AND FACILITY



HIGHLY TRAINED PEOPLE



GREAT AFTER SALES SUPPORT



TIMELY DELIVERY



HIGH QUALITY PRODUCT



TOTAL TURNKEY SOLUTIONS



VALUE FOR MONEY



IN-HOUSE PRODUCT DESIGN STUDIO



CONTINUOUS R&D & INNOVATIONS



CLIENT SATISFACTION



TRUST AND TRANSPARENCY



Fast-Food Chains



Industrial - Institutional Canteens



Cloud Kitchen



Restaurants



Hotels



Cafes

INDUSTRIES WE SERVE

COMMERCIAL INDUCTION BULK FRYER

POWER	MODEL NUMBER	VOLTAGE	DIMENSION (mm)	WOK DIA (mm)	WOK DEPTH (mm)	CAPACITY
15kW	IE.DC 15C.07	415V/50HZ	900x1000x1200	700	200	40L
25kW	IE.DC 25C.07	415V/50HZ	1100x1200x1200	900	264	84L



COMMERCIAL INDUCTION SMALL WOK COOKER

POWER	MODEL NUMBER	VOLTAGE	DIMENSION (mm)	WOK DIA (mm)
8kW	IE.XC 08C.01	415V/50HZ	1100x1100x850+400	500
12kW	IE.XC 12C.01	415V/50HZ	1100x1100x850+400	500



COMMERCIAL INDUCTION WOK COOKER

POWER	MODEL NUMBER	VOLTAGE	DIMENSION (mm)	WOK DIA (mm)
8kW*2	TS.SXC 08C.01	415V/50HZ	1800x1100x850+400	500
12kW*2	TS.SXC 12C.01	415V/50HZ	1800x1100x850+400	500



INDUCTION STOCK POT SERIES

POWER	MODEL NUMBER	VOLTAGE	DIMENSION (mm)	CAPACITY	BARREL SIZE (mm)
8kW	IE.TL 08C.02.R	415V/50HZ	650x750x500+700	100L	500*H500
8kW	IE.TL 08C.02.S	415V/50HZ	650x750x500+700	100L	500*H500



INDUCTION GRIDDLE PLATE SERIES

POWER	MODEL NUMBER	VOLTAGE	DIMENSION (mm)	IRON PLATE SIZE (MM)
12kW	IE.PL 12C.01	415V/50HZ	800x900x1000X850+150	720*560*15
15kW	IE.PL 15C.01	415V/50HZ	1200x900x1000X850+150	1060*560*15



9 BASKET NOODLE COOKING INDUCTION HOB

POWER	MODEL NUMBER	VOLTAGE	DIMENSION (mm)
8kW	IE.8ZML 08C.01	415V/50HZ	800x750x850+150



COMMERCIAL INDUCTION DIMSUM STEAMER

POWER	MODEL NUMBER	VOLTAGE	DIMENSION (mm)
8kW	IE.ZC 08C.01	415V/50HZ	800x750x850+150



TWO ZONE INDUCTION HOB

MODEL:- IE-AB0006	RATED POWER :- 3500W*2
DISPLAY:- 3 DIGITAL	TIMER:- 0-180 MINUTES
POWER STAGE :- 9 LEVELS	VOLTAGE:- 415V/50HZ
DIMENSION:- 400X900X850+150MM	CONTROL:- PRESS AND KNOB
N.W.:- 25.0 KGS	G.W.:- 42.0 KGS

LEVEL	1	2	3	4	5	6	7	8	9
Power	400W	600W	1000W	1300W	1600W	2000W	2500W	3000W	3500W
TEMP.	60°C	80°C	100°C	120°C	140°C	160°C	180°C	200°C	240°C



FOUR ZONE INDUCTION HOB

MODEL:- IE-AB0001	RATED POWER :- 3500W*4
DISPLAY:- 3 DIGITAL	TIMER:- 0-180 MINUTES
POWER STAGE :- 9 LEVELS	VOLTAGE:- 415V/50HZ
DIMENSION:- 800X900X850+150MM	CONTROL:- PRESS AND KNOB
N.W.:- 57.0 KGS	G.W.:- 82.0 KGS

LEVEL	1	2	3	4	5	6	7	8	9
Power	400W	600W	1000W	1300W	1600W	2000W	2500W	3000W	3500W
TEMP.	60°C	80°C	100°C	120°C	140°C	160°C	180°C	200°C	240°C



TABLE TOP INDUCTION HOB

MODEL:- IE.BT3505	POWER :- 3500W
VOLTAGE:- AC 240V/50HZ	DIMENSION:- 350X450X145MM
DISPLAY:- 3 DIGITAL	POWER STAGE :- 9 LEVELS
TIMER:- 0-180 MINUTES	CONTROL:- PRESS AND KNOB
GLASS PLATE:- 278X278X4MM	PACKING SIZE :- 540X430X205MM
N.W.:- 6.5 KGS	G.W.:- 7.0 KGS

LEVEL	1	2	3	4	5	6	7	8	9
Power	400W	600W	1000W	1300W	1600W	2000W	2500W	3000W	3500W
TEMP.	60°C	80°C	100°C	120°C	140°C	160°C	180°C	200°C	240°C



TABLE TOP INDUCTION WOK

MODEL:- IE.BT3506

POWER :- 3500W

VOLTAGE:- AC 240V/50HZ

DIMENSION:- 350X450X150MM

DISPLAY:- 3 DIGITAL

POWER STAGE :- 9 LEVELS

TIMER:- 0-180 MINUTES

CONTROL:- PRESS AND KNOB

TEMPERATURE:- 60-240C

PACKING SIZE :- 533X423X305MM

N.W.:- 6.5 KGS

G.W.:- 7.0 KGS

LEVEL	1	2	3	4	5	6	7	8	9
Power	400W	600W	1000W	1300W	1600W	2000W	2500W	3000W	3500W
TEMP.	60°C	80°C	100°C	120°C	140°C	160°C	180°C	200°C	240°C



BUILT-IN INDUCTION HOB/WARMER

MODEL:- IE.BT3507

POWER :- 3500W

VOLTAGE:- AC 240V/50HZ

DIMENSION:- 320X320X113MM

DISPLAY:- 3 DIGITAL

BUILT IN SIZE :- 300X300MM

TIMER:- 0-180 MINUTES

CONTROL:- PRESS AND KNOB

POWER STAGE :- 9 LEVELS

PACKING SIZE :- 390X390X170MM

N.W.:- 5 KGS

G.W.:- 6 KGS

LEVEL	1	2	3	4	5	6	7	8	9
Power	400W	600W	1000W	1300W	1600W	2000W	2500W	3000W	3500W
TEMP.	60°C	80°C	100°C	120°C	140°C	160°C	180°C	200°C	240°C



BUILT-IN INDUCTION HOB

MODEL:- IE.BT5008

POWER :- 5000W

VOLTAGE:- AC 240V/50HZ

DIMENSION:- 320X320X113MM

DISPLAY:- 3 DIGITAL

BUILT IN SIZE :- 300X300MM

TIMER:- 0-180 MINUTES

CONTROL:- PRESS AND KNOB

POWER STAGE :- 9 LEVELS

PACKING SIZE :- 390X390X170MM

N.W.:- 5.5 KGS

G.W.:- 6.5 KGS

LEVEL	1	2	3	4	5	6	7	8	9
Power	700W	1400W	1800W	2500W	3000W	3500W	4000W	4500W	5000W
TEMP.	60°C	80°C	100°C	120°C	140°C	160°C	180°C	200°C	240°C



MODELS	DESCRIPTION	CAPACITY	DIMENSION (MM)	POWER
IEEP-100-A	BOILING PAN - DIRECT INDUCTION ARISTO SERIES	100 L	1350x900x1000	15kW
IEEP-150-A		150 L	1450x1000x1050	20kW
IEEP-200-A		200 L	1600x1100x1100	25kW

-ARISTO Series



MODELS	DESCRIPTION	CAPACITY	DIMENSION (MM)	POWER
IEEP-100-AS	BOILING PAN - DIRECT INDUCTION ARISTO SERIES - STATIC VERSION	100 L	800X900X850	15kW
IEEP-150-AS		150 L	800X900X850	20kW

MODELS	DESCRIPTION	CAPACITY	DIMENSION (MM)	POWER
IETE-80-A	BRATT PAN - INDUCTION ARISTO SERIES	80 L	800X950X1000	12kW
IETE-120-A		120 L	1000X950X1000	15kW
IETE-150-A		150 L	1050X950X1050	20kW

MODELS	DESCRIPTION	CAPACITY	DIMENSION (MM)	POWER
IEBP-100-E	BOILING PAN - DIRECT INDUCTION ECO SERIES	100 L	1200X900X900	15kW
IEBP-150-E		150 L	1300X900X950	20kW
IEBP-200-E		200 L	1500X1000X1000	25kW

-ECO Series



MODELS	DESCRIPTION	CAPACITY	DIMENSION (MM)	POWER
IEBP-100-ES	BOILING PAN - DIRECT INDUCTION ECO SERIES - STATIC VERSION	100 L	800X900X850	15kW
IEBP-150-ES		150 L	800X900X850	20kW

MODELS	DESCRIPTION	CAPACITY	DIMENSION (MM)	POWER
IETP-81-E	BRATT PAN - INDUCTION ECO SERIES	80 L	1350X900X900	12kW
IETP-121-E		120 L	1550X900X900	15kW
IETP-151-E		150 L	1600X900X900	20kW



APOLLO KITCHEN EQUIPMENTS & SERVICES PVT. LTD.

Mfg. Unit-1: Plot No. 541/5, Sanand GIDC - II, BOI, Nr. POSCO Steel, Sanand, Ahmedabad - 382110, Gujarat, India.

Mfg. Unit-2: Plot No. 1117, Phase 3, Lane T-14, B/H Aabad Bread, Vatva GIDC, Ahmedabad - 382445, Gujarat, India.

Email: info@apolloequipments.com | sales@apolloequipments.com

Mobile: +91 84692 16051 | +91 98250 92058 | +91 98253 11629

DEALER