



TILTING BRAT PAN – INDIAN RANGE

KEY FEATURES

- Cooking surface for roasting, browning, stewing, preparation of sauces, sautéing, boiling and braising. Manual tilting mechanism to facilitate pan emptying.
- Smooth large surfaces, easy access for cleaning.
- Unit to have Nylon Adjustable feet with height adjustment up to 15mm.
- Stainless steel single skin lid is balanced and has strong stainless steel AISI 304 hinges and an ergonomic front handle.
- Integrated water faucet as standard.

CONSTRUCTION

- Cooking surface of 12mm SS 202.
- The Pan will be constructed from 2mm 304 grade stainless steel.
- Stand: 50x50mm 16 SWG SS 304 with Adjustable Nylon Feet. Stainless Steel 202 internal heavy structure frame.
- Manual worm gear tilting mechanism.



Apollo Kitchen Equipments & Services Pvt. Ltd.
 B-541/5, Sanand GIDC-II, Bol. Nr. POISGO Reel.
 Sanand, Ahmedabad-382110.
 Phone: +91 8469216031
 Email: info@apolloequipments.com

- Gas Operated: High Pressure RV Burners with Pilot Burner for ignition.
- Electric Operated: Heavy duty electric heating element, thermostatic temperature control with mineral glass wool insulation.

MODEL	DESCRIPTION	CAPACITY	DIMENSION IN MM	POWER IN Kw
Gas - Non-Insulated				
VTP-80G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING	80 LITERS	800x900x850	42
VTP-120G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING	120 LITERS	1200x900x850	62
VTP-150G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING	150 LITERS	1500x900x850	82
VTP-200G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING	200 LITERS	1650x900x850	102
VTP-250G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING	250 LITERS	1800x900x850	118
VTP-300G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING	300 LITERS	1950x900x850	130
Electric - Non-Insulated				
VTP-80E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING	80 LITERS	800x900x850	12
VTP-120E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING	120 LITERS	1200x900x850	15
VTP-150E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING	150 LITERS	1500x900x850	18
VTP-200E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING	200 LITERS	1650x900x850	24
VTP-250E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING	250 LITERS	1800x900x850	30



Apollo Kitchen Equipments & Services Pvt. Ltd.
 B-541/5, Sanand GIDC-II, Bol. Nr. POISO Steel,
 Sanand, Ahmedabad-382110.
 Phone: +91 8469216031
 Email: info@apolloequipments.com

	TILTING			
VTP-300E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING	300 LITERS	1900x900x850	36
Gas – Insulated				
VTP-81G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	80 LITERS	800x900x850	42
MODEL	DESCRIPTION	CAPACITY	DIMENSION IN MM	POWER IN Kw
VTP-121G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	120 LITERS	1200x900x850	62
VTP-151G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	150 LITERS	1500x900x850	82
VTP-201G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	200 LITERS	1650x900x850	102
VTP-251G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	250 LITERS	1800x900x850	118
VTP-301G/I	BRATT PAN – GAS INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	300 LITERS	1950x900x850	130
Electric – Insulated				
VTP-81E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	80 LITERS	800x900x850	12
VTP-121E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	120 LITERS	1200x900x850	15
VTP-151E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	150 LITERS	1500x900x850	18
VTP-201E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	200 LITERS	1650x900x850	24
VTP-251E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	250 LITERS	1800x900x850	30
VTP-301E/I	BRATT PAN – ELECTRIC INDIAN RANGE & FITTINGS MANUAL TILTING – INSULATED PAN	300 LITERS	1900x900x850	36